

## **SKUDO Anti-Fungal Protect**

**Skudo Anti-Fungal Protect** is a novel CIT, AOX and VOC-free, synergistic biocide specifically developed for the wet- state protection of water based formaldehyde sensitive products.



### **Chemical and Physical Characteristics**

<b>Composition:</b>	A water based formulation of 2-methyl-4-isothiazolin-3-one (MIT) and 1,2-benzisothiazolin -3-one (BIT)
<b>Appearance:</b>	Yellow liquid
<b>Odour:</b>	Mild
<b>Density (20°C):</b>	1.030 g/cm <sup>3</sup>
<b>MIT Content:</b>	2.35 - 2.65%
<b>BIT Content:</b>	2.35 - 2.65%
<b>pH (20°C):</b>	7.50 - 9.5
<b>Solubility:</b>	Miscible with water and most lower alcohols and glycols
<b>Stability in application:</b>	Stable in the presence of light, over the pH range 2 - 10 and up to 80°C

### **Biocidal Properties**

**Skudo Anti-Fungal Protect** has a very broad microbiological activity spectrum showing truly synergistic activity against bacteria, moulds and yeasts that may cause infection and deterioration of water based products, including the following organisms:

#### **Typical Spoilage Organisms**

##### **Bacteria**

Achromobacter sp.  
Aeromonas sp.  
Alcaligenes sp.  
Bacillus sp.  
Escherichia coli  
Flavobacterium  
sp. Klebsiella sp.  
Proteus sp.  
Pseudomonas sp.  
Streptomyces sp.

##### **Moulds**

Aspergillus sp.  
Cephalosporium sp.  
Cladosporium sp.  
Fusarium sp.  
Paecilomyces variotii  
Penicillium funiculosum

##### **Yeasts**

Candida albicans  
Rhodotorula sp.  
Saccharomyces cerevisiae

### **Applications / Use Levels**

**Skudo Anti-Fungal Protect** is suitable for the wet-state preservation of a wide range of aqueous products including paints, polymer emulsions, adhesives, ceramic glazes, fillers and sealants.

**Skudo Anti-Fungal Protect** is particularly effective in products having an alkaline pH and for the preparation of ecologically acceptable formulations.

Normal use concentrations are in the range 0.20 - 0.40%, depending on the product to be protected and the environmental conditions to which it will be exposed. The precise level required by a specific formulation can be determined by contacting your local representative.

### Addition / Compatibility

**Skudo Anti-Fungal Protect** can be added at any time during production. However, it is advised to add it as early as possible to give protection throughout the production process. Care should be taken to ensure that temperature, pH and redox potential at the point of addition are suitable for stability of the product.


**Skudo Anti-Fungal Protect** is compatible with most formulations in which its application is recommended and it may be used in formaldehyde sensitive systems. Nevertheless, users are advised to carry out their own tests or seek further advice.

### Performance Examples:

Untreated mat



Skudo HT mat with **Skudo Anti-Fungal Protect** incorporated into the coating




Skudo Basecoat containing **Skudo Anti-fungal Protect**

**Wet Product**



**Dried Compound**



Each of the images shows a clear zone of inhibition when compared to the untreated fabric.

## Packaging / Storage / Transport / Regulatory Approvals

<b>Packaging:</b>	25 and 200 kg plastic drums and 1,000 kg intermediate bulk containers
<b>Shelf Life:</b>	12 months from production date when stored at approximately 20°C
<b>Storage:</b>	Store in the original containers and protect from extremes of temperature. <b>Skudo Anti-Fungal Protect</b> is frost sensitive. At temperatures below 1°C BIT and BIT sodium salt may crystallise. However, after warming to a maximum temperature of 50°C any crystals formed will re-dissolve and the product can be used with no impairment of activity.
<b>Transportation</b>	<b>Skudo Anti-Fungal Protect</b> is classified as non-hazardous for transport
<b>Regulatory Approvals:</b>	The active substances of <b>Skudo Anti-Fungal Protect</b> have BfR chapters 14 and 36, FDA 21 CFRs 175.105, 176.170 and 176.180 and a wide range of other regulatory approvals. The US EPA registration number of the product itself is 67071-29.

## Safety / Labelling / Toxicology

For detailed information on the toxicology and handling of **Skudo Anti-Fungal Protect** and advice on the labelling of products in which it may be used, please refer to the separate Material Safety Data Sheet.

*The information contained in this leaflet is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any freedom from patent infringement.*