



SAFETY DATA SHEET

Skudo Deck Defend

Revision 0

Revision date 2014-07-01

Page 1/4

SECTION 1: Identification of the Substance and of the Company

1.1. Product Identifier

Product name	Skudo Deck Defend
--------------	-------------------

1.2. Details of the supplier of the safety data sheet

Company	Skudo LLC
---------	-----------

Address	2330 Alberta Drive Suite 200 DALLAS TEXAS 75229 USA
---------	---

Telephone	888-758-3611
-----------	--------------

Email	info@skudousa.com
-------	--

Website	http://www.skudousa.com
---------	---

1.3. Emergency Telephone Number

Emergency Telephone Number	888-758-3611 8:30 am – 5:00 pm
----------------------------	-----------------------------------

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

Main hazards	No Significant Hazard
--------------	-----------------------

SECTION 3: Composition on Ingredients

3.1. Mixtures

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Di-isononyl phthalate (Diisononyl phthalate)		28553-12-0	249-079-5			
2-(2-Butoxyethoxy) ethanol (2-(2-Butoxyethoxy) ethanol)	603-096-00-8	112-34-5	203-961-6		Xi; R36	

SECTION 4: First Aid Measures

4.1. Description of First Aid Measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist. If you feel unwell, seek medical advice (show the label where possible).
Eye Contact	Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Contact lenses should be removed.
Skin Contact	Avoid contact with skin. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist. Wash hands after handling the product.
Ingestion	DO NOT INDUCE VOMITING. If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting Measures

5.1. Extinguishing Media

Carbon dioxide (CO₂). Foam. Water spray.

5.2. Special Hazards Arising from the substance or mixture

No significant hazard.

5.3. Advice for Fire Fighters

In case of fire and/or explosion do not breathe fumes. Protective equipment. Self-contained breathing apparatus. Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

No significant hazard. Avoid contact with eyes and skin. Remove contaminated clothing.

6.2. Environmental Precautions

Aqueous solution. Do not allow product to enter drains.

6.3. Methods and Material for Containment and Cleaning up

Aqueous solution. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. Do not allow product to enter drains.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with the eyes and skin. Do not breathe spray. Do not allow product to enter drains. When using, do not eat, drink, or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Do NOT allow product to freeze. Do NOT mix with any other product. Handle and open container with care. Protect from frost. Store at temperatures between 41°F and 77°F (5°C and 25°C).

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

8.1.1. Exposure Limit Values

2-(2-Butoxyethoxy) ethanol (2-(2-Butoxyethoxy) ethanol)	WEL 8-hr limit ppm: 10	WEL 8-hr limit mg/m ³ : 67.5
	WEL 15 min limit ppm: 15	WEL 15 min limit mg/m ³ : 101.2
Di-isonyl phthalate (Diisononyl phthalate)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m ³ : 5

WEL 15 min limit ppm: -

WEL 15 min limit mg/m3: -

8.2. Exposure Controls	
8.2.1. Appropriate Engineering Controls	Ensure adequate ventilation of the working area.
8.2.2. Individual Protection Measures	Adopt best Manual Handling considerations when handling, carrying, and dispensing. Avoid contact with eyes and skin. Use appropriate personal protective equipment.
Eye / Face Protection	Provide eye wash station. Safety glasses.
Skin Protection	Wash hands after handling the product.
Respiratory Protection	Do not breathe spray. In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

State	Aqueous solution
Odor	Characteristic
pH	7 - 8
Freezing Point	32°F (0° C)
Bolling point	212°F (100° C)
Flash point	Not applicable
Solubility	Miscible in water

9.2. Other Information

Specific gravity	1-1.1
VOC (Volatile organic compounds)	g/cm ³ 80 g/l

SECTION 10: Stability and Reactivity

10.1. Chemical Stability

Stable under normal conditions.

SECTION 11: Toxicological Information

11.1. Toxicological Information

No data available

SECTION 12: Ecological Information

12.1. Toxicity

No data available

SECTION 13: Disposal Considerations

General Information	Do not allow product to enter drains.
Disposal Methods	Dispose of in compliance with all local and national regulations.

SECTION 14: Storage and Transportation**Storage Precautions**

	Store in a dry place. Store away from foodstuffs, clothing and keep out of reach of children.
--	---

Classification

	Not defined as Dangerous Goods by DOT for road or rail. Class 60.
--	---

SECTION 15: Regulatory Information**Labelling****Risk Phrases**

	No Significant Hazard.
--	------------------------

Further Information

	No significant hazard
--	-----------------------

SECTION 16: Other Information**Other Information****Text of risk phrases in Section 3**

	R36 - Irritating to eyes.
--	---------------------------

Maximum content of VOC

	80 g/l
--	--------

Further Information

	The information supplied in this Material Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	---