

# SAFETY DATA SHEET

Product Name: HT Commercial Mat

Issue Date: JAN 2014
Issued By: Skudo LLC

#### CLASSIFIED AS NON-HAZARDOUS

### **COMPANY DETAILS:**

Company Name: Skudo LLC

Address: 2330 Alberta Dr Unit 200

Dallas, TX 75229

**Telephone:** 1-888-758-3611 (1-888-SKUDO-11)

**Fax:** 972-993-0700

# **IDENTIFICATION:**

**Product Name:** HT Commercial Mat

**Product Use:** Temporary Surface Protection

UN Number: None Allocated
DG Class: None Allocated
Packing Class: DOT Class 65
Hazchem Code: None Allocated
Poisons Schedule: None Scheduled

### PHYSICAL DATA:

Appearance: Orange coated Non-Woven Fabric

Boiling Point: Not applicable
Vapor Pressure: Not applicable
Solubility in Water: Not applicable
Odor: odorless
Form: solid
Stability: Stable

**Specific Gravity:** Not applicable **Flash Point:** Not applicable

#### **INGREDIENTS:**

NAME:	<u>CAS:</u>	PROPORTION:
Polyethylene terephthalate	25 038-59-9	40-60%

 Styrene/Acrylate
 confidential
 15-25%

 Bitumen
 8052-42-4
 0-5%

 Alumina tri-hydrate
 21645-51-2
 20-35%

## **HEALTH HAZARD INFORMATION:**

## **HEALTH EFFECTS:**

**Acute - Swallowed:** No special measures necessary.

Acute – Eye Rinse with plenty of water, if persistent irritation see a physician.

Acute - Skin: Prolonged or repeated contact with skin may result in irritation or rash.

Acute – Inhaled: Inhalation hazards of this product are negligible pending possible imposition

of threshold limit values. Therefore no special precautionary measures are

necessary.

**Chronic:** Principal routes of exposure are usually by skin contact with the material.

Prolonged or repeated skin contact with bare skin may cause drying, cracking, irritation and possible dermatitis if sufficient water is present to extract

surfactants from the coating.

#### **FIRST AID:**

**Swallowed:** No special measures necessary.

Eye: Hold eyes open and wash thoroughly with copious amounts of water for at least

15 minutes. Seek immediate medical attention.

**Skin:** Wash skin thoroughly with soap and water.

**Inhaled:** Inhalation of fiber fly, dust and finish decomposition products should be avoided

by fresh air ventilation. In case of coughing or other symptoms, the person

should seek fresh air and, if necessary a physician.

**First Aid Facilities:** Eye wash fountains and safety showers should be easily accessible.

#### ADVICE TO DOCTOR:

**Advice to Doctor:** Treat symptomatically.

#### PERSONAL PROTECTION:

**Respirator Type:** Not required for normal operations, but where work practice or other means (AS 1716) exposure reduction is not adequate, approved respirator may be necessary to

prevent over exposure by inhalation.

**Eye Protection:** Safety goggles for cutting and handling is recommended.

**Glove Type:** Standard work gloves for frequent handling.

**Clothing:** Overalls.

### FLAMMABILITY:

**Fire hazards:** Product will burn in a fire. Auto ignition temperature: 960 deg F (DIN 51794)

Thermal decomposition: > 570 deg F

#### STORAGE AND TRANSPORTATION:

**Storage Precautions:** Store in a dry place. Store away from foodstuffs, clothing and keep out of reach

of children.

Classification: Not defined as Dangerous Goods by DOT for road or rail. Class 65

### **SPILLS AND DISPOSALS:**

Spills and Disposals:

**Disposal:** Bury in an approved landfill. Dispose of in accordance with Local, State and

Federal Governments. If recycling is not possible, Polyester can be disposed of in a suitable refuse installation or incinerated subject to local regulations.

# FIRE/EXPLOSION HAZARD:

Fire/Explosion Hazard: Fiber dust and fly could present a fire hazard at sufficient concentrations.

Remove ignition sources. Beware of electrostatic charges.

Hazardous

**Decomposition or** Carbon monoxide, carbon dioxide and low molecular weight organic

Compounds depending on temperature and air supply.

**Byproducts:** 

**Fire Fighting**Wear full body protective clothing and self-contained breathing apparatus. **Procedures:**Water spray, foam, CO<sup>2</sup> or dry chemical. Do not use water if fire is caused

by an electrical short circuit.

#### OTHER INFORMATION:

**Safety Statement:** S26 In case of contact with eyes, rinse immediately with plenty of water and

contact a doctor or Poisons Control Center. S38 If insufficient ventilation, wear suitable respiratory equipment. S45 In case of accident or if unwell, contact a doctor or Poisons Information Center immediately (show the label if possible). S36/37/39 Wear suitable protective clothing, gloves and eye/face protection. S16 Keep away from sources of ignition – No Smoking. S33 Take precautions

against static discharges.

**Pkg & Labeling:** No regulatory requirements for transport, storage and handling.

**Contact:** Poisons Control Center

**Phone Number:** 1800-222-1222

Police or Fire Brigade: 911

# **DISCLAIMER:**

Skudo LLC makes no representation as to the completeness and accuracy of the data contained in this data sheet. It is the users obligation to evaluate and use this product safely and to comply with all relevant Federal, State and Local Government laws and regulations. Skudo LLC shall not be responsible for loss, damage or injury resulting from reliance upon or failure to adhere to any recommendations or information contained herein, from abnormal use of the material, or any hazard inherent in the nature of the material.

...End of Report...