

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****Product identifier**

Product name Skudo Door Defense

Other means of identification

Product SKU CT-CURE-5-GAL

Recommended use of the chemical

Use of substance / mixture Temporary Surface Protection

Details of the substance supplier of the safety data sheet

Company name Skudo LLC
11120 Zodiac Ln
Dallas, TX 75229
USA

Tel (972) 993-0777
Fax (972) 993-0700
Email info@skudousa.com

Emergency telephone number

Emergency phone numbers (972) 993-0777

2. HAZARDS IDENTIFICATION

No Significant Hazard

3. COMPOSITION/INFORMATION ON INGREDIENTS**Substances**

Not applicable

Full text of H-phrases: see section 16

Mixture

Name	Product identifier	%	GHS-US classification
Polyethylene terephthalate	25 038-59-9	50-60%	Not classified
Styrene/Acrylate	confidential	15-25%	Not classified
Calcium carbonate	1317-65-3	25-35%	Not classified

4: FIRST AID MEASURES**First aid measures**

Inhalation	: Inhalation of fiber fly, dust and finish decomposition products should be avoided by fresh air ventilation. In case of coughing or other symptoms, the person should seek fresh air and, if necessary, a physician.
Skin Contact	: Wash skin thoroughly with soap and water.
Eye Contact	: Rinse with plenty of water, if persistent irritation, see a physician.
Ingestion	: No special measures necessary.

Most important symptoms and effects both acute and delayed

Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: None under normal use.
Symptoms/injuries after eye contact	: None under normal use.
Symptoms/injuries after ingestion	: May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

No additional information available

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Water spray, dry chemicals, foam, carbon dioxide.

Unsuitable extinguishing media

None

Specific hazards arising from the chemical

Fire hazard : Product will burn in a fire. Auto ignition temperature: 960 deg F (DIN 51794)
Thermal decomposition: > 570 deg F

Explosion hazard : Fiber dust and fly could present a fire hazard at sufficient concentrations.
Remove ignition sources. Beware of electrostatic charges.

Protective equipment and precautions for firefighters

Wear full body protective clothing and self-contained breathing apparatus. Water spray, foam, CO² or dry chemical. Do not use water if fire is caused by an electrical short circuit.

6: ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to section 8 of SDS for personal protection details.

For emergency responders

No additional information available

Environmental precautions

No additional information available

Methods and material for containment and cleaning up

Methods for containment : No additional information available

Methods for cleaning up : No additional information available

7: HANDLING AND STORAGE**Conditions for safe storage, including any incompatibilities**

Storage conditions : Store in a dry place. Store away from foodstuffs, clothing and keep out of reach of children.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Acute - Swallowed: No special measures necessary.

Acute – Eye Rinse with plenty of water, if persistent irritation, see a physician.

Acute - Skin: Prolonged or repeated contact with skin may result in irritation or rash.

Acute – Inhaled: Inhalation of fiber fly, dust and finish decomposition products should be avoided by fresh air ventilation. In case of coughing or other symptoms, the person should seek fresh air and, if necessary, a physician.

Inhalation hazards of this product are negligible pending possible imposition of threshold limit values. Therefore, no special precautionary measures are necessary.

Chronic: Principal routes of exposure are usually by skin contact with the material. Prolonged or repeated skin contact with bare skin may cause drying, cracking, irritation and possible dermatitis if sufficient water is present to extract surfactants from the coating.

Respirator Type: Not required for normal operations, but where work practice or other means

(AS 1716)	exposure reduction is not adequate, approved respirator may be necessary to prevent over exposure by inhalation.
Eye Protection:	Safety goggles for cutting and handling is recommended.
Glove Type:	Standard work gloves for frequent handling.
Clothing:	Overalls.

9: PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	: Liquid
Color	: milky white
Odor	: odorless.
Odor Threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
VOC	: 0g/l
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

Other information

No additional information available

10: STABILITY AND REACTIVITY**Reactivity**

No additional information available

Chemical stability

The product is stable at normal handling- and storage conditions.

Possibility of hazardous reactions

Will not occur.

Conditions to avoid

None.

Incompatible materials

Not determined.

Hazardous decomposition products

Not determined.

11: TOXICOLOGICAL INFORMATION**Information on toxicological effects**

Acute toxicity : Not classified

Proprietary Component 4	
LD50 oral rat	214 mg/kg

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

**Specific target organ toxicity
(single exposure)** : Not classified

**Specific target organ toxicity
(repeated exposure)** : Not classified

Aspiration hazard : Not classified

12: ECOLOGICAL INFORMATION**Ecotoxicity**

Proprietary Component 4	
LC50 fishes 1	80 mg/l (Exposure time: 96 h - Species: Gambusia affinis [static])

Persistence and degradability

No additional information available.

Bioaccumulative potential

Proprietary Component 4	
Log Pow	0.65

13: DISPOSAL CONSIDERATION**Disposal methods**

: Dispose of contents/container in accordance with local/regional/national/international regulations.

14: TRANSPORT INFORMATION

In accordance with DOT / ADR / RID / ADNR / IMDG / ICAO / IATA

UN number

Not applicable

UN proper shipping name

Not applicable

15: REGULATORY INFORMATION**US Federal Regulations**

Proprietary Component 2
Listed on the United States TSCA (Toxic Substances Control Act) inventory

Proprietary Component 4
Listed on the United States TSCA (Toxic Substances Control Act) inventory

Proprietary Component 3
Listed on the United States TSCA (Toxic Substances Control Act) inventory

Proprietary Component 1
Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State regulations

Proprietary Component 4
U.S. - Massachusetts - Right To Know List
U.S. - Minnesota - Hazardous Substance List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List


16: OTHER INFORMATION

Full text of H-phrases::

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Corr. 1A	skin corrosion/irritation Category 1A
Skin Irrit. 2	skin corrosion/irritation Category 2
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation

NFPA health hazard: 1 - Exposure could cause irritation but only minor
Residual injury even if no treatment is given.**NFPA fire hazard**

: 0 - Materials that will not burn.

NFPA reactivity: 0 - Normally stable, even under
exposure conditions,
and are not reactive withfire
water.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.