

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product identifier****Product Name:** SkudoBoard**Other means of identification****Product SKU:** BOARD-FR-STD-4x8-GREY**Recommended use of the chemical and restrictions on use****Chemical Classification** Flame Retardant PP Board**Product Operation Suggestions and Restrictions:**

Construction

Details of the supplier of the safety data sheet**Supplier Address:** Skudo LLC
11120 Zodiac Ln
Dallas, TX 75229
USA**Tel:** +1 (972) 993-0777**Fax:** +1 (972) 993-0700**E-mail** info@skudousa.com**Emergency Tel:** +1 (972) 993-0777**2. HAZARDS IDENTIFICATION****Color:** Grey**Physical State:** Board or Panel.**Odor:** Inodorous or slight odor.**Hazard Classification:** No harm.**Signs and Precautionary Statements****Graphic Symbol:** None.**Signal Word:** None.**Cardinal Symptom after Contact**

Eye Protection:	Use safety glasses. Safety glasses should be consistent with Directive 89/686/EEC Category 2. If there is a potential for exposure to board which could cause eye discomfort, wear chemical goggles. Chemical goggles should be consistent with EN 166 or equivalent. If exposure causes eye discomfort, use a full-face respirator.
Skin Protection:	No precautions other than clean body-covering clothing should be needed.
Hand Protection:	Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized. Use gloves with insulation for thermal protection, when needed.
Respiratory Protection:	Use an approved air-purifying respirator when vapors are generated at increased temperatures or when dust or mist is present. Use the following CE approved air-purifying respirator: When dust/mist are present use a Particulate filter, type P2. When combinations of vapors, acids, or dusts/mists are present use an organic vapor cartridge with a particulate pre-filter, type AP2.
Ingestion:	Low toxicity. It may cause choking if swallowed.
Emergency Measures:	Avoid contact with eyes.
Other Hazards:	Unknown

3. COMPOSITION INFORMATION ON INGREDIENTS

<u>Chemical Classification:</u>	Compound Mixture	
Risk Composition:	Flame Retardant PP Board	
<u>Chemical Name</u>	<u>CAS#</u>	<u>% (w/w)</u>
Polypropylene	9003-07-0	55%-80%
Flame Retardant		1%-10%
Filler and assistant		1%-25%

4. FIRST AID MEASURES

First Aid Measures

Eye Contact:	Flush eye thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a doctor, preferably an ophthalmologist.
Skin Contact:	If molten material meets skin, do not apply ice but cool under ice water or running stream of water. Do not attempt to remove the

material from the skin. Removal may result in severe tissue damage. Seek medical attention immediately.

Inhalation:

Move person to fresh air; if effects occur, consult a doctor.

Ingestion:

If swallowed, seek medical treatment. May cause gastrointestinal blockage. Do not induce vomiting unless directed to do so by medical personnel.

Notes to Doctor:

If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media:**

Water fog or fine spray. Dry powder fire extinguishers, carbon dioxide fire extinguishers, foam.

Prohibited Fire Extinguishing Agent:

Unknown.

Special Drainage:

None.

Special Fire Extinguishing Procedure:

Evacuate personnel from fire. Isolate of fire and prohibit unwanted people into fire zone. Soak the burning material thoroughly with water to cool and prevent reignition. If the material is molten, do not apply direct water stream. Use fine water spray or foam. Cool surroundings with water to cool fire zone. Extinguish small fire with hand-held dry power fire extinguisher or carbon dioxide extinguisher.

Ingestion:

If swallowed, seek medical treatment. May cause gastrointestinal blockage. Do not induce vomiting unless directed to do so by medical personnel.

Special Protective Equipment for Firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective clothing (includes fire helmet, coat, trousers, boots and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES**Personal Precautions:**

Spilled material may cause a slipping hazard. Use appropriate safety equipment.

Environmental Precautions:

Prevent from entering soil, ditches, sewers, waterways and / or groundwater.

Elimination Method:

Contain spilled material if possible. Sweep up. Collect in suitable and properly labeled container.

7. HANDLING AND STORAGE

Handling Precautions:	Workers should be protected from the possibility of contact with molten resin. Do not get molten material in eyes, on skin or clothing. Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, electrically bond and ground equipment and do not permit dust to accumulate. Dust can be ignited by static.
Storage Precautions:	Store in accordance with good manufacturing practices.
Unsuitable Packing Materials:	Unknown.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Industrial Hygiene Standards

Exposure Limit:	Unknown
Engineering Controls	Good general ventilation should be sufficient for most conditions.
Ventilation	Local exhaust ventilation may be necessary for some operations.
Personal Protection	
Respiratory Protection:	Use an approved air-purifying respirator when vapors are generated at increased temperatures or when dust/mist is present. The following should be effective types of air-purifying respirators: When dust/mist are present use a filter. When combinations of vapors, acids, or dusts/mists are present use an organic vapor cartridge with a particulate pre-filter.
Eye Protection:	Use safety glasses. If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles. If exposure causes eye discomfort, use a full-face respirator.
Hand Protection:	Use gloves to protect from chemical injury. Selection of gloves will depend on the task. Use gloves with insulation for thermal.
Skin and Body Protection:	No precautions other than clean body-covering clothing should be needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Board or Panel
Color:	Grey
Odor:	Inodorous or slight odor
pH	Not applicable
Melting Point:	329-329°F (165-200°C).
Boiling Point:	Not applicable
Flash Point:	Not tested

Blast Limit in Air

Upper	Not tested.
Lower:	Not tested.
Vapor Density (25°C):	Not applicable.
Vapor Pressure air=1):	Not applicable.
Density:	0.9-1.1g/cm ³
Solubility:	Negligible.
Distribution Coefficient (N-octanol/Water):	Not tested.
Autoignition Temperature:	Not tested.
Decompose Temperature:	Not tested.
Odor Threshold:	Not tested.
Evaporation Rate:	Not applicable.
Flammability (Solid, Gas):	Not applicable.

10. STABILITY AND REACTIVITY

Stability:	Stable.
Conditions to Avoid:	Products can decompose at elevated temperature.
Incompatible Materials:	Unknown.
Hazardous Polymerization:	Will not occur.
Hazardous Decomposition:	Decomposition products depend upon temperature, air supply and the presence of other materials. Processing may cause the releases of irritant smoke and other decomposition. When temperature exceeds the melting point, this product may release polymer fragments. Decomposition products could include and are not limited to: aldehydes, alcohols, organic acids and some other marginal hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Exposure Ways:	Inhalation, skin contact and accidental ingestion.
Effects of Over Contact:	No notable harm under normal handling.
Acute Toxicity:	

Eye Contact:	Direct contact may cause eye irritation experienced as mild discomfort and redness.
Skin Absorption:	Estimated LD50, rabbit > 2000 mg/kg. No serious effects for transitory contact.
Ingestion:	Estimated LD50, rat > 5000 mg/kg. Very low ingestion hazards under normal handling.
Inhalation:	Estimated LC50, rat > 50 mg/1(4h, dusts/mist). No serious effects for transitory contact.
Chronic Toxicity	
Skin:	Repeated or long-time contact may cause skin irritation and dermatitis.
Ingestion:	Repeated or massive ingestion may cause physical harm.
Inhalation:	Not applicable.
Repeated Dose Toxicity:	Additives are encapsulated in the product and are not expected to be released under normal processing conditions or foreseeable emergency.
Chronic Toxicity and Carcinogenicity:	Not applicable.
Growth Toxicity:	Not applicable.
Procreation Toxicity:	Not applicable.
Inheritance Toxicity:	Not applicable.

12. ECOLOGICAL INFORMATION

Ecotoxicity:	Not expected to be acutely toxic but may cause adverse effects by physical/mechanical means.
Resistance and Degradability:	This water-insoluble polymeric solid is expected to be inert in the environment.
Migration in Soil:	It will remain in the soil in the terrestrial environment. And it will sink into the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Product Waste Disposal Ways:	Disposal according to local regulatory.
Packing Waste Disposal Ways:	Disposal according to local regulatory.

14. TRANSPORT INFORMATION

Road and Rail Transport:	Not regulated.
Sea Transportation (IMDG):	Not regulated by IMDG codes.
Air Transportation (IATA):	Not regulated by IATA.
Specific Operational Requirements:	None.

15. REGULATORY INFORMATION

Applicable Regulations:	Regulations for the Safe Use of Chemicals in Workplace [(1996) 423#, sent by Department of Labor] Public Summons for General Rules of Chemicals Classification and Hazard [GB 13690-2009]
--------------------------------	--

Chemical Storage

TSCA:	All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.
AICS:	All substances contained in this product are listed or are exempt from requirements.
DSL:	All substances contained in this product are listed on DSL Inventory or are exempt from DSL Inventory requirements.
IECSC:	All substances contained in this product are listed or are exempt from requirements.
EINECS:	All substances contained in this product are listed or are exempt from requirements.
KECL:	All substances contained in this product are listed or are exempt from requirements.
PICCS:	All substances contained in this product are listed or are exempt from requirements.
HSNO:	All substances contained in this product are listed or are exempt from requirements.
ENCS/ISHL:	All substances contained in this product are listed or are exempt from requirements.

16. OTHER INFORMATION

The product safety instructions in this safety data sheet are according to our existing knowledge and experience. This sheet does not describe the product components and specifications. Any public and/or for specific purpose product characteristics should not be removed from this data sheet. All users have responsibility and obligation to ensure the intellectual property rights of products and to abide the relevant laws and regulations.