

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product identifier****Product Name** Skudo Tub Protect**Other means of identification****Product SKU** CT-TUB-PROTECT-5-GAL**Recommended use of the chemical and restrictions on use****Recommended use** Temporary Peel-able protective coating for tested nonporous substrates.**Uses advise against** None known**Details of the supplier of the safety data sheet****Supplier Address**

Skudo USA

Address:

11120 Zodiac Ln.

Dallas, TX 75229 USA

Phone: (972) 993-0777

Emergency Phone Number (972) 993-0777**2. HAZARDS IDENTIFICATION****Classification**

This product is not classified as hazardous or toxic in the GHS framework.

This product has not been classified as hazardous per the present legislation in force.

This product and components hereof, including traces of contamination from waste mining resources as heavy elements, toxins, and bio traces, do not appear in TSCA, ECHA or any known national or international inventory listing of hazardous or potentially hazardous substances.

Hazard summary

Physical hazards: Not classified as hazardous. **Health hazard:** None known.

Eye contact: Accidental direct splashing or accidental direct spraying in unprotected eyes will be irritating to eyes. Exposed individuals may experience eye tearing, redness and discomfort.

Skin contact: Contact to unprotected skin: No more than slightly irritating to skin. No more than slightly toxic if absorbed.

Ingestion: Accidental ingestion: No more than slightly toxic if swallowed. Significant adverse health effects are not expected to develop if only small amounts (less than a mouthful) are swallowed.

Inhalation: Accidental inhalation of vapors during drying or spray-fog from spray coat machines leads to no significant hazard if properly recommended and adjusted breathing protection is used in working surroundings.

Environmental hazards by accidental release to waterways:

Water Hazard Class: WGK 1, slightly water-endangering. **RCRA Hazard class:** None known.

Acute health hazards: No significant hazards associated with this product.

Chronic health hazards: No significant hazards associated with this product.

Medical conditions generally aggravated by exposure: None known.

Potential Physical/Chemical hazard: Wet spilled material may form extremely slippery surfaces.

Emergency overview:

Low hazard for usual handling and industrial processing for trained personnel.

Routes of entry: Contact with unprotected eyes or skin and unprotected breathing.

Form: Liquid

Color: Colorless clear to white or light grey opaque, Opaque white or Orange in Color

Odor: Mild to odorless

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS
--

Components:	CAS no.	Min WT %	Max WT %	Notes
Polyvinylbutyral	63148-65-2	36	44	none
Triethyleneglycol bis (2-ethylhexanoate)	94-28-0	2	15	none
Water	7732-18-5	50	55	none
Proprietary compounds		0	5	none

Notes, if applicable:

#This substance has workplace exposure limits

PBT: Persistent, Bioakkumulative and Toxic substance vPvB:very Persistent and very Biopaccumulative substance

Classification

Chemical name	Classification		Notes
Polyvinylbutyral, PVB	DSD	Not classified according to D 67/548/EEC	none
Polyvinylbutyral, PVB	CLP	Not Classified Regulation No. 1272/2008	none

This product does not contain any fluorine, chlorine, bromine, iodine or isothiazolinone based biocides or derivatives.

The full text for all R-phrases, H-statements and S-statements is displayed in section 16.

Being a mixture, based on recycled PVB-foil from laminated glass are not considered in the national inventories. However, PVB (CAS 68648-78-2 and/ or CAS 63148-65-2) as well as all proprietary components are listed in the inventories of Australia (AICIS), Canada (DSL (NDSL: not listed)), China (IECSC), Taiwan (TCSI), Japan (ENCS), South Korea (KECI), New Zealand (NZIoC), Phillipines (PICCS), USA (TSCA).

The polymer present in Skudo Tub Protect is exempted from REACH, KKDIK, K-REACH and UK REACH. This regulatory status is checked every quart year, latest by February 2026.

4.FIRST AID MEASURES

First aid measures

Eyes: The material can be removed with water. Remove contact lenses if possible and flush with plenty of water at least 30 minutes. Seek medical attention for inspection of the eye and the vicinity hereof.

Skin: Immediate first aid is not likely to be required. The material can be removed with water. Flush with plenty of water while or after removing contaminated clothes and shoes. Wash contaminated clothing before reuse. Get medical attention if symptoms arise.

Ingestion: Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. A physician or Poison Control Center should be contacted for advice and observation.

Inhalation: Immediate first aid is not likely to be required. Get medical attention if symptoms arise.

Most important symptoms and effects, both acute and delayed

None known

Indication of any immediate medical attention and special treatment needed

Hazards: None known

Treatment: Treat symptomatically Section 4

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray, foam, halon, dry chemical or carbon dioxide

Specific Hazard Arising from the Chemical

Unusual fire and explosion hazards: The dried product may form dust from abrasion and can accumulate electrostatic charges, which may form electric discharges (ignition source). Use proper electrical grounding methods where airborne dust, film flakes or powder is moved mechanically.

Hazardous decomposition products: Acrolein, crotonaldehyde, butyraldehyde, n-butanol, 2-butoxyethanol, butyric acid, methanol, formic acid, hydrocarbons, carbonmonoxide and carbondioxide.

Flammability: Dry material that must be heated locally to more than 380 °C before ignition can occur.

Protective equipment and precautions for firefighters

In case of fire: Evacuate area. Use water spray to keep fire exposed containers cool. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

No action shall be taken involving any personal risk without suitable and completed training. Use personal protection measures as described in section 8.

Environmental precautions

Environmental precautions

Prevent further leakage or spillage if safe to do so. Clean up spills immediately and dispose of waste safely. Do not contaminate water sources, drainage, or sewer.

Methods and material for containment and cleaning up

In case of spill: Scoop, sweep, or vacuum and remove in a clearly labeled container for chemical waste.

In case of an accidental spill or release to the environment notify relevant authorities in accordance with all applicable regulations.

Refer to section 13 for disposal information and section 15 for reportable quantity information

7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industry hygiene and safety practices to minimize dust and airspray production.

Vacuum using a wet-vacuum or a HEPA equipped vacuum cleaner. Avoid the use of compressed air for cleaning.

Take precautionary measures to avoid electrostatic discharges.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

Empty containers or bags retain product residue. Observe all recommended safety precautions until container is cleaned, reconditioned, or destroyed. The use of this material's container for non-industrial purposes is prohibited and any reuse must be in consideration of the data provided in this SDS. Storage: Keep the containers tightly closed. Store in a cool, dry place out of sunlight. Be aware that our dispersions once exposed to air will form a film on surface.

General: Stable under normal conditions of handling and storage. Avoid storage near oxidizing chemicals.

Avoid contamination from air-, water- or dirt-borne sources of bacterial, algal, fungal or viral sources. Lids, closures, or coverings must be clean.

Specific end uses

Temporary peel-able protective coatings. Section 7

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Country specific or general exposure limits have not been established or are not applicable.

Exposure control

Ventilation:

Provide adequate ventilation. Ventilate as needed to control airborne particles levels below the occupational safety limits, typically 10 air changes per hour. If applicable use process enclosures and local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Make access to emergency eye bath station and general washing facilities.

Respiratory protection:

This material is not likely to present an airborne exposure concern under normal conditions of use. Use an approved respiratory unit, and if uncontrolled releases must be cleaned use a positive pressure respiratory system.

Eye protection:

Use good industrial practice to avoid eye contact. Wear safety glasses with side shields or goggles.

Skin protection:

Although this product does not present a significant skin concern, minimize skin contamination by following good industrial practice. Wash thoroughly with soap after handling. Wear appropriate clothing to avoid prolonged skin-contact and wash clothes regularly.

Wearing protective gloves is recommended.

Respiratory protection:

An air-purifying respirator with an appropriate approved air purifying filter, cartridge or canister is recommended to be used when spray-techniques are applied.

Exposure guidelines:

Airborne exposure limits: (ml/m³ = ppm) OSHA and/or ACGIH have not established specific exposure limits for this material. However, they have established limits for particulates not otherwise regulated (PNOR) and particulates not otherwise classified (PNOC) respectively, which are the least stringent exposure limits applicable to airborne particles:

ACGIH TLV: 10mg/m³ (total dry dust) 8-hr TWA ACGIH TLV:

3mg/m³ (respirable) 8-hr TWA

OSHA Z-1 PEL: 15mg/m³ (total dry dust) 8-hr TWA OSHA Z-1

PEL: 5mg/m³ (respirable) 8-hr TWA

Hygiene measures:

Observe good industrial hygiene practices and avoid cross contamination of batches.

Environmental controls:

No data available. Section 8

9. PHYSICAL AND CHEMICAL PROPERTIES**Physical and Chemical Properties**

Appearance: Milky white or Orange opaque liquid.

Odor: Odorless

Physical state: Liquid pH: 9.5-11

VOC Content : <1.0 g/Ltr

Specific gravity – condensed material (H₂O = 1): 1.03 @ 20 °C

Solids content: 45- 48%

Auto ignition temperature: not applicable for dispersion, for dry content alone > 380 °C

Flash Point: not applicable for dispersion, estimated > 200 °C for dry material (Pensky-Martens Closed Cup)

Solubility in water: Mixable but may separate and aggregate if pH lowers by dilution. Additional technical information is available by requiring the technical data sheet, TDS

10. STABILITY AND REACTIVITY**Stability**

Stable under normal conditions

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

All sources of ignition and strong oxidizers. All kinds of leaking of the containers

Incompatible materials

Strong oxidizing agents, acids and salts containing cations with a considerable ionic strength.

Hazardous Decomposition Products

Butyraldehyde; butyric acid; acrolein; crotonaldehyde; methanol; formic acid; carbon monoxide; carbon dioxide

Hazardous polymerization

Hazardous polymerization does not occur.

11.TOXICOLOGICAL INFORMATION

This product has not been tested for toxicity, but data obtained on similar and individual products are summarized below:

Information on likely routes of exposure:

Inhalation: None known

Ingestion: None known

Skin contact: None

known.

Eye contact. None

known.

Information on toxicological effects**Acute toxicity Oral:**

Product: No data available Specified substances:

PVB: Oral LD50: (rat)>10000mg/kg

Not classified for acute toxicity on available data

Results of single exposure (acute) toxicity studies conducted on similar materials indicate that these products are practically nontoxic orally and after skin application.

12. ECOLOGICAL INFORMATION

Skudo USA Distribution LLC has not conducted environmental toxicity, accumulation, mobility, or biodegradation studies with this material, but recommends extensive use of recycling techniques for the product and the waste products by suitable processes and waste handling channels.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal considerations: Incineration or Recycling.

This product should not be dumped, spilled, rinsed, or washed into sewers or public waterways.

RCRA hazard class: None known.

14. TRANSPORT INFORMATION

Dangerous goods ADR	Status: No	Class not regulated
Dangerous goods RID	Status: No	Class not regulated
Dangerous goods IMDG	Status: No	Class not regulated
Dangerous goods ICAO/IATA	Status: No	Class not regulated

GHS, not dangerous, nonflammable and nontoxic – no regulatory status.

15. REGULATORY INFORMATION

Safety, health, and environmental regulations/legislation specific to the substance or mixture

Water Hazard Class (WGK): WGK 1: Slightly water-endangering

Chemical safety assessment

None

California Prop 65:

This product **DOES NOT** contain chemicals known to the State of California to cause birth defects or other reproductive harm.

16.OTHER INFORMATION**Key literature references and sources for data on PVB:**

<https://www.routledgehandbooks.com/doi/10.1201/b19190-4>

Wording of the R-phrases, H-statements, S-statements and EUH labelling in section 2 and 3:

None.

Training information:

No data available

Disclaimer:

Skudo USA Distribution LLC PVB is a 100 % recycled product from industrial waste, manufactured under intensive care and quality control, ensuring that no other supply chain of not controlled raw material is introduced in the finished recycled product.

The information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof.

Skudo USA Distribution LLC makes no representations as to the completeness or accuracy hereof. Information is supplied upon the condition, that the persons receiving same, will make their own determination as to its suitability for their purposes prior to use. In no event will Skudo USA Distribution LLC be responsible for damages of any nature whatsoever, resulting from the use of or reliance upon information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THIS INFORMATION REFERS.

This information should be used to make an independent determination of the methods to safeguard workers and the environment.