

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****Product identifier****Product Name:** Skudo Door Defense**Other means of identification****Product SKU:** DOOR-DEF-SINGLE**Recommended use of the chemical****Use of substance / mixture:** Temporary Surface Protection**Details of the substance supplier of the safety data sheet****Company Name:** Skudo LLC**Address:** 11120 Zodiac Ln
Dallas, TX 75229**Telephone:** 1-888-758-3611 (1-888-SKUDO-11)
Fax: 972-993-0700**2. HAZARDS IDENTIFICATION****Main hazards:** No significant hazard.**3. COMPOSITION / INFORMATION ON INGREDIENTS**

<u>NAME:</u>	<u>CAS:</u>	<u>PROPORTION:</u>
Polyethylene terephthalate	25 038-59-9	50-60%
Styrene/Acrylate	confidential	15-25%
Calcium carbonate	1317-65-3	25-35%

4. FIRST AID MEASURES

Swallowed: No special measures necessary.
Eye: Rinse with plenty of water, if persistent irritation, see a physician.
Skin: Wash skin thoroughly with soap and water.

Inhaled: Inhalation of fiber fly, dust and finish decomposition products should be avoided by fresh air ventilation. In case of coughing or other symptoms, the person should seek fresh air and, if necessary a physician.

First Aid Facilities: Eye wash fountains and safety showers should be easily accessible.

5. FIRE-FIGHTING MEASURES

Fire hazards: Product will burn in a fire. Auto ignition temperature: 960 deg F (DIN 51794)
Thermal decomposition: > 570 deg F

Fire/Explosion Hazard: Fiber dust and fly could present a fire hazard at sufficient concentrations.

Remove ignition sources. Beware of electrostatic charges.

Fire Fighting Procedures: Wear full body protective clothing and self-contained breathing apparatus. Water spray, foam, CO² or dry chemical. Do not use water if fire is caused by an electrical short circuit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

7. HANDLING AND STORAGE

Storage Precautions: Store in a dry place. Store away from foodstuffs, clothing and keep out of reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Acute - Swallowed: No special measures necessary.

Acute – Eye Rinse with plenty of water, if persistent irritation, see a physician.

Acute - Skin: Prolonged or repeated contact with skin may result in irritation or rash.

Acute – Inhaled: Inhalation of fiber fly, dust and finish decomposition products should be avoided by fresh air ventilation. In case of coughing or other symptoms, the person should seek fresh air and, if necessary, a physician.

Inhalation hazards of this product are negligible pending possible imposition of threshold limit values. Therefore, no special precautionary measures are necessary.

Chronic: Principal routes of exposure are usually by skin contact with the material. Prolonged or repeated skin contact with bare skin may cause drying, cracking, irritation and possible dermatitis if sufficient water is present to extract surfactants from the coating.

Respirator Type: Not required for normal operations, but where work practice or other means
(AS 1716) exposure reduction is not adequate, approved respirator may be necessary to prevent over exposure by inhalation.
Eye Protection: Safety goggles for cutting and handling is recommended.
Glove Type: Standard work gloves for frequent handling.
Clothing: Overalls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Blue-Gray NW fabric
Odor: odorless
Form: solid

10. STABILITY AND REACTIVITY

Boiling Point: Not applicable
Vapor Pressure: Not applicable
Solubility in Water: Not applicable
Stability: Stable
Specific Gravity: Not applicable
Flash Point: Not applicable

11. TOXICOLOGICAL INFORMATION

Acute toxicity: SKUDO DOOR DEFENSE
ORL RAT LD50 >2000 mg/kg
Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

Hazardous Decomposition or Byproducts: Carbon monoxide, carbon dioxide and low molecular weight organic Compounds depending on temperature and air supply.

13. DISPOSAL CONSIDERATIONS

Disposal: Bury in an approved landfill. Dispose of in accordance with Local, State and Federal Governments. If recycling is not possible, Polyester can be disposed of in a suitable refuse installation or incinerated subject to local regulations.

14. TRANSPORTATION INFORMATION

Classification: Not defined as Dangerous Goods by DOT for road or rail. Class 65

15. REGULATORY INFORMATION

Pkg & Labeling: No regulatory requirements for transport, storage and handling.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which comply with these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Disclaimer: Skudo LLC makes no representation as to the completeness and accuracy of the data contained in this data sheet. It is the user's obligation to evaluate and use this product safely and to comply with all relevant Federal, State and Local Government laws and regulations. Skudo LLC shall not be responsible for loss, damage or injury resulting from reliance upon or failure to adhere to any recommendations or information contained herein, from abnormal use of the material, or any hazard inherent in the nature of the material.

...End of Report...